CARBOHYDRATE RESEARCH, VOL. 183 (1988)

AUTHOR INDEX

ABBAS, S. A., 155, 163
AGYEI-AYE, K., 261
ALTMAN, E., 321
ATKINS, E. D. T., 131

BAKER, D. C., 261
BOCIEK, S. M., 126
BRADE, H., 183
BRASSAT, B., 11
BREG, J., 19
BRENNAN, P. J., 241
BREWER, C. F., 287
BRISSON, J.-R., 321

CATLEY, B. J., 83
CHATTERJEE, D., 241
CHITTENDEN, G. J. F., 140
CHO, S.-N., 241

DHAWAN, S. N., 47
DOUGLAS, J. T., 241
DUBEY, R., 155
DUTTON, G. G. S., 111, 123

FAILLARD, H., 89
FRASER, M. E., 83
FU, D., 97
FUJIKAWA, K., 59
FUJIWARA, T., 241

GARCIA MENDOZA, P., 227
GIDLEY, M. J., 126
GIULIANO, R. M., 277
GONZALEZ-ABROU CASTELL, E., 175
GONZALEZ-RODRIGUEZ, L., 175
GONZALEZ-SEGREDO, A., 175
GOPAL GURHA, S., 144
GOUX, W. J., 47

HAGIWARA, T., 150
HEHRE, E. J., 287
HICKS, K. B., 1
HOLZHAUSER, R., 89
HONDA, S., 59

JAROSZ, S., 201, 209, 217

KAKEHI, K., 59
KASPEROWICZ, S., 277
KAWAGISHI, H., 150
KÖNIG, W. A., 11
KOSMA, P., 183

LAM, Z., 123
LEHMANN, J., 287, 301
LIM, A. V. S., 111, 123
LOPEZ APARICIO, F. J., 227
LUTZ, S., 11

MARIÑO-ALBERNAS, J., 175
MATTA, K. L., 155, 163
MISCHNICK-LÜBBECKE, P., 11
MIZUNO, T., 150
MONTREUIL, J., 19

NAGAHASHI, G., 1
NAKAMURA, T., 150
NEDRA KARUNARATNE, D., 111
NILSSON, M., 71
NOMURA, A., 150
NORBERG, T., 71

OKA, Y., 59

PEREZ-MARTINEZ, C. S., 175
PERRY, M. B., 321

REYNOLDS, D., 155
ROBYT, J. F., 97
ROMIJN, D., 19

SANTOYO GONZALEZ, F., 227
SASAKI, K., 1
SCHULZ, G., 183
SELVENDRAN, R. R., 311
SINGH, L., 144
STEVENS, B. J. H., 311
STEWART, C., 241
STRECKER, G., 19
SZEJA, W., 135

TAJMIR-RIAHI, H.-A., 35
TAKAHASHI, M., 59

THOMAS, R. L., 163

VELURAJA, K., 131
VEREZ-BENCOMO, V., 175
VLIEGENTHART, J. F. G., 19

WEISER, W., 287
WENZ, G., 11

YUMEN, T., 150

ZISER, L., 301

CARBOHYDRATE RESEARCH, VOL. 183 (1988)

SUBJECT INDEX

N-Acetyl-3′-*O*-α-L-fucopyranosyllactosamine, synthesis of, 155
N-Acetyl-β-D-galactosaminidase activity of *E. coli* phage 44, 123
Actinobacillus pleuropneumoniae serotype 6, structure of the capsular polymer of, 321
Allylic alcohols, epoxidation of higher sugar, 217
Allylic alcohols, osmylation of higher sugar, 209
Anhydro-1,2-dideoxy-2-deuterio-D-*gluco*-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of glucosylases, synthesis of (*Z*)-3,7-, 287
Antigen containing the trisaccharide hapten of *Mycobacterium leprae*, synthesis of, 175
Assignment of benzyl methylene carbon resonances of per-*O*-benzylated methyl furanosides: correlation of assigned chemical shifts with furanosyl-ring structure, 47

Bacterial degradation of wheat bran, changes in composition and structure resulting from, 311
Branched-chain sugars: a stereoselective route to sibirosamine, kansosamine, and vinelose from a common precursor, synthesis of, 277

Calcium form of cation-exchange resin, chromatography of inositols on, 1
Capsular polymer of *Actinobacillus pleuropneumoniae* serotype 6, structure of the, 321
Capsular polysaccharide of *E. coli* K44, sequencing by phage hydrolysis and mass spectrometry, 123
Capsular polysaccharide of *E. coli* K44, structure, 111
Carbohydrate derivatives, improved gas chromatographic separation of enantiomeric, using a new chiral stationary phase, 11
Carbohydrate oxiranes, a convenient synthesis of, *via* sulfonates, 135
Changes in composition and structure of wheat bran resulting from the action of human faecal bacteria *in vitro*, 311
Chromatography for photometric, fluorimetric and electrochemical detections, mechanism of the reaction of reducing carbohydrates with 2-cyanoacetamide, used for postcolumn labeling in high performance liquid, 59
Coffee α-D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl α-D-galactopyranoside, irreversible product-inhibition of green, 301
Conformations of cyclomaltohexaose and amylopectin in aqueous solution, ^{13}C-c.p.–m.a.s. n.m.r. studies of the, 126
2-Cyanoacetamide, used for postcolumn labeling in high-performance liquid chromatography for photometric, fluorimetric and electrochemical detections, mechanism of the reaction of reducing carbohydrates with, 59
Cyclic sulphoxides, Pummerer rearrangements and similar reactions of some six-membered, 227
Cyclomaltohexaose and amylopectin in aqueous solution, ^{13}C-c.p.–m.a.s. n.m.r. studies of the conformations of, 126

2-Deoxy-D-*manno*-2-octulopyranosylonic acid, synthesis of trisaccharide containing three residues of, 183
3-Deoxy-5-thiopentopyranose derivatives branched at C-3, synthesis of, by Pummerer rearrangement and a similar reaction of some six-membered cyclic sulphoxides, 227
Dextransucrase: chemical modification by diethyl pyrocarbonate and dye photo-oxidation, essential histidine residues in, 97

Electron diffraction from the galactomannan of guar gum, selective area, 131
Enantiomeric carbohydrate derivatives, improved gas chromatographic separation of, using a new chiral stationary phase, 11
Epoxidation of higher sugar allylic alcohols, 217
Escherichia coli K44, capsular polysaccharide, structure, 111
Escherichia coli phage 44, *N*-acetyl-β-D-galactosaminidase activity of, use in sequencing K44 capsular polysaccharide, 123
Essential histidine residues in dextransucrase: chemical modification by diethyl pyrocarbonate and dye photo-oxidation, 97

3′-*O*-α-L-Fucopyranosyllactosamine, *N*-acetyl-, synthesis of, 155

Furanosides: correlation of assigned chemical shifts with furanosyl-ring structure, the assignment of benzyl methylene carbon resonances of per-*O*-benzylated methyl, 47

D-Galacto-D-mannan from the seeds of *Parkinsonia aculeata* Linn., structural studies of the, 144

Galactomannan of guar gum, selective area electron diffraction from the, 131

α-D-Galactopyranose, 1,3,4,6-tetra-acetate, a simplified synthesis of, 140

α-D-Galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl α-D-galactopyranoside, irreversible product-inhibition of green-coffee, 301

Gas chromatographic separation of enantiomeric carbohydrate derivatives using a new chiral stationary phase, improved, 11

β-D-Glc*p*NAc-(1→3)-β-D-Gal*p*-(1→3)-[(β-D-Gal*p*-(1→3)]-α-D-Gal*p*NAcOBzl, synthesis of, 163

β-D-Glc*p*NAc-(1→3)-β-D-Gal*p*-(1→3)-[(β-D-Glc*p*NAc(1→6)]-α-D-Gal*p*NAcOBzl, synthesis of, 163

Glucanase (zymolase), susceptibility of scleroglucan to a (1→3)-β-D-, 83

D-Glucose with alkaline-earth metal ions. Synthesis, spectroscopic, and structural characterization of Mg(II)– and Ca(II)–D-glucose adducts and the effect of metal-ion binding on anomeric configuration of the sugar, 19

Glucosylases, synthesis of (*Z*)-3,7-anhydro-1,2-dideoxy-2-deuterio-D-*gluco*-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of, 287

Glycolipid, synthesis of a dimeric Lewis X hexasaccharide derivative corresponding to a tumor-associated, 71

Guar gum, selective area electron diffraction from the galactomannan of, 131

Hexasaccharide derivative corresponding to a tumor-associated glycolipid, synthesis of a dimeric Lewis X, 71

Higher sugar allylic alcohols, epoxidation of, 217

Higher sugar allylic alcohols, osmylation of, 209

Higher sugar enones, stereoselective reduction of, with zinc borohydride, 201

Human lymphocytes, determination of sialic acids in, 89

Inhibition of green-coffee α-D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl α-D-galactopyranoside, irreversible product, 301

Inositol isomers, eight, separation by l.c. of, 1

Interaction of D-glucose with alkaline-earth metal ions. Synthesis, spectroscopic and structural characterization of Mg(II)– and Ca(II)–D-glucose adducts and the effect of metal-ion binding on anomeric configuration of the sugar, 35

Ions. Synthesis, spectroscopic, and structural characterization of Mg(II)– and Ca(II)–D-glucose adducts and the effect of metal-ion binding on the anomeric configuration of the sugar. Interaction of D-glucose with alkaline-earth metal, 35

Irreversible product-inhibition of green-coffee α-D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl α-D-galactopyranoside, 301

Isolation and properties of a lectin from the fruiting bodies of *Agaricus blazei*, 150

Kansosamine, and vinelose from a common precursor, synthesis of branched-chain sugars: a stereoselective route to sibirosamine, 277

KDO, synthesis of trisaccharide containing three residues of, 183

Lactosamine, *N*-acetyl-3′-*O*-α-L-fucopyranosyl-, synthesis of, 155

Lectin, from the fruiting bodies of *Agaricus blazei*, isolation and properties of a, 150

Liquid chromatography under pressure, separation of eight inositol isomers by, 1

Lymphocytes, human, determination of sialic acids in, 89

Mechanism of the reaction of reducing carbohydrates with 2-cyanoacetamide, used for post-column labeling in high-performance liquid chromatography for photometric, fluorimetric and electrochemical detections, 59

Mucin fragments, synthesis of, 163

Mycobacterium leprae, synthesis of antigen containing the trisaccharide hapten of, 175

Neoglycoproteins, containing the trisaccharide unit of phenolic glycolipid I of *Mycobacterium leprae*, synthesis and immunoreactivity of, 241

N.m.r. studies of the conformations of cyclomaltohexaose and amylopectin in aqueous solution, ^{13}C-c.p.–m.a.s., 126

D-*manno*-Octulopyranosylonic acid, 2-deoxy-, synthesis of trisaccharide containing three residues of, 183

Oligosaccharides, scope and limitations of rotating-frame n.O.e. spectroscopy applied to, 19

Osmylation of higher sugar allylic alcohols, 209

Polysaccharide (capsular) of *E. coli* K44, structure, 111

Polysaccharide (capsular) of *E. coli*, sequencing by phage hydrolysis and mass spectrometry, 123
Pummerer rearrangements and similar reactions of some six-membered cyclic sulphoxides: synthesis of 3-deoxy-5-thiopentopyranose derivatives branched at C-3, 227

Reduction of higher sugar enones with zinc borohydride, stereoselective, 201
Resonances of per-*O*-benzylated methyl furanosides: correlation of assigned chemical shifts with furanosyl-ring structure, the assignment of benzyl methylene carbon, 47
Rotating-frame n.O.e. spectroscopy applied to oligosaccharides, scope and limitations of, 19

Scleroglucan, susceptibility of, to the (1→3)-β-D-glucanase zymolase, 83
Scope and limitations of rotating-frame n.O.e. spectroscopy applied to oligosaccharides, 19
Sialic acids in human lymphocytes, determination of, 89
Sibirosamine, kansosamine, and vinelose from a common precursor, synthesis of branched-chain sugars: a stereoselective route to, 277
Stereoselective reduction of higher sugar enones with zinc borohydride, 201
Structural studies of the D-galacto-D-mannan from the seeds of *Parkinsonia aculeata* Linn., 144
Structure of the capsular polymer of *Actinobacillus pleuropneumoniae* serotype 6, 321
Sulfonates, a convenient synthesis of carbohydrate oxiranes *via*, 135
Synthesis and evaluation of a series of 1-(3-alkyl-2,3-dideoxy-α,β-D-*erythro*-pentofuranosyl)-thymines, 261
Synthesis and immunoreactivity of neoglycoproteins containing the trisaccharide unit of phenolic glycolipid I of *Mycobacterium leprae*, 241
Synthesis of a dimeric Lewis X hexasaccharide derivative corresponding to a tumor-associated glycolipid, 71
Synthesis of (*Z*)-3,7-anhydro-2-dideoxy-2-deuterio-D-*gluco*-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of glucosylases, 287
Synthesis of branched-chain sugars: a stereoselective route to sibirosamine, kansosamine, and vinelose from a common precursor, 277
Synthesis of carbohydrate oxiranes *via* sulfonates, a covenient, 135
Synthesis of α-D-galactopyranose 1,3,4,6-tetraacetate, a simplified, 140

Thymines, 1-(3-alkyl-2,3-dideoxy-α,β-D-*erythro*-pentofuranosyl)-, synthesis and evaluation of a series of, 261
Trisaccharide hapten of *Mycobacterium leprae*, synthesis of antigen containing, 175

Vinelose from a common precursor, synthesis of branched-chain, sugars: a stereoselective route to sibirosamine, 277

Wheat bran, changes in composition and structure of, resulting from the action of human faecal bacteria *in vitro*, 311

Zymolase, susceptibility of scleroglucan to the (1→3)-β-D-glucanase, 83